ELSEVIER

Clinica Chimica Acta 283 (1999) 205–206

Author index

Volume 283 (1999)

Abe, S., Gunji, H., Kunii, S., Kuraya, M., Fujita, T., Hiraiwa, K., Semen specific γ-glutamyltransferase carries ABH antigens: a sandwich ELISA for simultaneous semen detection and its ABO blood typing **283**, 183
Amr, K.S., see El-Awady, M.K. **283**, 1
Andersson, A., see Hultberg, B. **283**, 21
Andou, M., see Sumi, S. **283**, 201
Asanuma, K., Yagihashi, A., Uehara, N., Kida, T., Watanabe, N., Three point mutations of human butyrylcholinesterase in a Japanese family and the alterations of three-dimensional structure **283**, 33
Åsberg, A., see Christensen, H. **283**, 63

Bali, J.-P., see Bertinchant, J.-P. **283**, 43
Benedik, M., see Ščančar, J. **283**, 139
Berg, K.J., see Christensen, H. **283**, 63
Bertinchant, J.-P., Polge, A., Robert, E., Sabbah, N., Fabbro-Peray, P., Poirey, S., Laprade, M., Pau, B., Juan, J.-M., Bali, J.-P., de la Coussaye, J.-E., Dauzat, M., Time-course of cardiac troponin I release from isolated perfused rat hearts during hypoxia/reoxygenation and ischemia/reperfusion **283**, 43
Bornet, C.-E., see Sabot, J.-F. **283**, 151
Brown, E.R., see Brown, I.R. **283**, 119
Brown, I.R., McBain, A.M., Chalmers, J., Campbell, I.W., Brown, E.R., Lewis, M.J., Sex difference in the relationship of calcium and magnesium excretion to glycaemic control in type 1 diabetes mellitus **283**, 119
Bukovec, P., see Ščančar, J. **283**, 139

Campbell, I.W., see Brown, I.R. **283**, 119
Carlson, E., see Christensen, H. **283**, 63
Chalmers, J., see Brown, I.R. **283**, 119
Christensen, H., Carlson, E., Åsberg, A., Schram, L., Berg, K.J., A simple and sensitive high-performance liquid chromatography assay of diltiazem and main metabolites in renal transplanted patients **283**, 63

Dauzat, M., see Bertinchant, J.-P. **283**, 43
de la Coussaye, J.-E., see Bertinchant, J.-P. **283**, 43

El-Awady, M.K., Ismail, S.M., El-Sagheer, M., Sabour, Y.A., Amr, K.S., Zaki, E.A., Assay for hepatitis C virus in peripheral blood mononuclear cells enhances sensitivity of diagnosis and monitoring of HCV-associated hepatitis **283**, 1
El-Sagheer, M., see El-Awady, M.K. **283**, 1
Evans, J.E., see Hagen, T. **283**, 77

Fabbro-Peray, P., see Bertinchant, J.-P. **283**, 43
Favre, S., see Sabot, J.-F. **283**, 151
Fujita, M., see Ikemoto, M. **283**, 171
Fujita, T., see Abe, S. **283**, 183

Gunji, H., see Abe, S. **283**, 183

Hagen, T., Korson, M.S., Sakamoto, M., Evans, J.E., A GC/MS/MS screening method for multiple organic acidemias from urine specimens **283**, 77
Hamajima, N., see Sumi, S. **283**, 201
Hasegawa, K., see Ikemoto, M. **283**, 171
Hashimoto, R., see Tanimukai, H. **283**, 57
Hiraiwa, K., see Abe, S. **283**, 183
Hobbs, G.A., see Kaplan, I.V. **283**, 89
Hultberg, B., Andersson, A., Isaksson, A., Thiol

PII: S009-8981(99)00068-6

and redox reactive agents exert different effects on glutathione metabolism in HeLa cell cultures **283**, 21

Igarashi, S., see Takahata, K. **283**, 129
Ikemoto, M., Hasegawa, K., Kihara, Y., Iwakura, A., Komeda, M., Yamazato, A., Fujita, M., Development of enzyme-linked immunosorbent assay for acidic fibroblast growth factor and its clinical application **283**, 171
Isaksson, A., see Hultberg, B. **283**, 21
Ismail, S.M., see El-Awady, M.K. **283**, 1
Iwakura, A., see Ikemoto, M. **283**, 171

Johnson, N.A., see Jortani, S.A. **283**, 159
Jortani, S.A., Pinar, A., Johnson, N.A., Valdes Jr., R., Validity of unbound digoxin measurements by immunoassays in presence of antidote (Digibind®) **283**, 159
Juan, J.-M., see Bertinchant, J.-P. **283**, 43

Kamino, K., see Tanimukai, H. **283**, 57
Kaplan, I.V., Hobbs, G.A., Levinson, S.S., Simpler technique for measuring oxidative susceptibility by heparin affinity column isolation of lipoproteins **283**, 89
Khong, T.K., see Sagnella, G.A. **283**, 105
Kida, T., see Asanuma, K. **283**, 33
Kidouchi, K., see Sumi, S. **283**, 201
Kihara, Y., see Ikemoto, M. **283**, 171
Kohlmueller, D., see Schulze, A. **283**, 15
Komeda, M., see Ikemoto, M. **283**, 171
Korson, M.S., see Hagen, T. **283**, 77
Kudo, T., see Tanimukai, H. **283**, 57
Kunii, S., see Abe, S. **283**, 183
Kuraya, M., see Abe, S. **283**, 183

Laprade, M., see Bertinchant, J.-P. **283**, 43
Levinson, S.S., see Kaplan, I.V. **283**, 89
Lewis, M.J., see Brown, I.R. **283**, 119

MacGregor, G.A., see Sagnella, G.A. **283**, 105
Mayatepek, E., see Schulze, A. **283**, 15
McBain, A.M., see Brown, I.R. **283**, 119
McNeil, S.E., see Stickle, D.F. **283**, 195
Milačič, R., see Ščančar, J. **283**, 139
Miller, M.A., see Sagnella, G.A. **283**, 105

Pau, B., see Bertinchant, J.-P. **283**, 43
Pinar, A., see Jortani, S.A. **283**, 159
Poirey, S., see Bertinchant, J.-P. **283**, 43
Polge, A., see Bertinchant, J.-P. **283**, 43

Robert, E., see Bertinchant, J.-P. **283**, 43

Sabbah, N., see Bertinchant, J.-P. **283**, 43
Sabot, J.-F., Bornet, C.-E., Favre, S., Sabot-Gueriaux, S., The analysis of peculiar urinary (and other) calculi: an endless source of challenge **283**, 151
Sabot-Gueriaux, S., see Sabot, J.-F. **283**, 151
Sabour, Y.A., see El-Awady, M.K. **283**, 1
Sagnella, G.A., Miller, M.A., Khong, T.K., MacGregor, G.A., Platelet sodium/hydrogen exchanger activity in normotensives and hypertensives **283**, 105
Sakamoto, M., see Hagen, T. **283**, 77
Ščančar, J., Milačič, R., Benedik, M., Bukovec, P., Problems related to determination of trace elements in spent continuous ambulatory peritoneal dialysis fluids by electrothermal atomic absorption spectrometry **283**, 139
Schram, L., see Christensen, H. **283**, 63
Schulze, A., Kohlmueller, D., Mayatepek, E., Sensitivity of electrospray-tandem mass spectrometry using the phenylalanine/tyrosine-ratio for differential diagnosis of hyperphenylalaninemia in neonates **283**, 15
Shinozaki, K., see Tanimukai, H. **283**, 57
Stickle, D.F., McNeil, S.E., Evaluation of use of singleton measurements of C-peptide by RIA **283**, 195
Sumi, S., Andou, M., Hamajima, N., Kidouchi, K., Togari, H., Wada, Y., Uracil phosphoribosyltransferase activity in hereditary orotic aciduria **283**, 201

Takahata, K., Igarashi, S., Spectrophotometric determination of trace amounts of hemoglobin using the oxidative decomposition reaction of a copper(II)–phthalocyanine complex **283**, 129
Takeda, M., see Tanimukai, H. **283**, 57
Tanimukai, H., Tsujio, I., Hashimoto, R., Kudo, T., Kamino, K., Shinozaki, K., Takeda, M., Presenilin-2 mutation and polymorphism in Japanese Alzheimer disease patients **283**, 57
Togari, H., see Sumi, S. **283**, 201
Tsujio, I., see Tanimukai, H. **283**, 57

Uehara, N., see Asanuma, K. **283**, 33

Valdes Jr., R., see Jortani, S.A. **283**, 159

Wada, Y., see Sumi, S. **283**, 201
Watanabe, N., see Asanuma, K. **283**, 33

Yagihashi, A., see Asanuma, K. **283**, 33
Yamazato, A., see Ikemoto, M. **283**, 171

Zaki, E.A., see El-Awady, M.K. **283**, 1

ELSEVIER

Clinica Chimica Acta 283 (1999) 207–209

Subject index

Volume 283 (1999)

ABH antigen carrier protein; Semen specific γ-GTP; Monoclonal antibodies; Sandwich ELISA **283**, 183

Acid excretion; Hypertension; Sodium/hydrogen exchanger; Platelets **283**, 105

aFGF; ELISA; Growth factor; Pericardial fluid; Coronary artery disease **283**, 171

Aluminium; Spent CAPD fluid; Copper; Iron; ETAAS **283**, 139

Alzheimer disease; Presenilin 2; RFLP **283**, 57

Antioxidants; Arteriosclerosis; Coronary artery disease; Fibrinogen **283**, 89

Arteriosclerosis; Coronary artery disease; Fibrinogen; Antioxidants **283**, 89

Artifact; Calculi; Factitious calculi; Infrared spectrophotometry; Munchausen syndrome; Urinary calculi **283**, 151

Butyrylcholinesterase; Point mutation; Three-dimensional structure and atypical gene **283**, 33

Calcium; Magnesium; Glycaemic control; Diabetes mellitus **283**, 119

Calculi; Artifact; Factitious calculi; Infrared spectrophotometry; Munchausen syndrome; Urinary calculi **283**, 151

Cardiac troponin I; Hypoxia/reoxygenation; Immunoassay; Ischemia/reperfusion; Isolated perfused heart rat **283**, 43

Copper; Spent CAPD fluid; Aluminium; Iron; ETAAS **283**, 139

Copper(II)–phthalocyanine complex; Spectrophotometry; Hemoglobin; Oxidative decomposition reaction **283**, 129

Coronary artery disease; aFGF; ELISA; Growth factor; Pericardial fluid **283**, 171

Coronary artery disease; Arteriosclerosis; Fibrinogen; Antioxidants **283**, 89

Cysteine; Glutathione; Homocysteine; Human cell lines; Oxidative agents; Redox status; Thiol-reactive agents **283**, 21

Diabetes mellitus; Calcium; Magnesium; Glycaemic control **283**, 119

Digibind®; Digoxin; Fab fragments; Immunoassays **283**, 159

Digoxin; Digibind®; Fab fragments; Immunoassays **283**, 159

Diltiazem; Metabolites; SPE; HPLC **283**, 63

Electrospray-tandem mass spectrometry; Hyperphenylalaninemia; Neonatal screening; Phenylalanine; Tyrosine **283**, 15

ELISA; aFGF; Growth factor; Pericardial fluid; Coronary artery disease **283**, 171

ETAAS; Spent CAPD fluid; Aluminium; Copper; Iron **283**, 139

PII: S009-8981(99)00069-8

Fab fragments; Digoxin; Digibind®; Immunoassays **283**, 159

Factitious calculi; Artifact; Calculi; Infrared spectrophotometry; Munchausen syndrome; Urinary calculi **283**, 151

Fibrinogen; Arteriosclerosis; Coronary artery disease; Antioxidants **283**, 89

Gas chromatography/tandem mass spectrometry; Ion trap GC/MS; Organic acidemias; Screening **283**, 77

Glutathione; Cysteine; Homocysteine; Human cell lines; Oxidative agents; Redox status; Thiol-reactive agents **283**, 21

Glycaemic control; Calcium; Magnesium; Diabetes mellitus **283**, 119

Growth factor; aFGF; ELISA; Pericardial fluid; Coronary artery disease **283**, 171

Hemoglobin; Spectrophotometry; Copper(II)–phthalocyanine complex; Oxidative decomposition reaction **283**, 129

Homocysteine; Cysteine; Glutathione; Human cell lines; Oxidative agents; Redox status; Thiol-reactive agents **283**, 21

HPLC; Diltiazem; Metabolites; SPE **283**, 63

Human cell lines; Cysteine; Glutathione; Homocysteine; Oxidative agents; Redox status; Thiol-reactive agents **283**, 21

Hyperphenylalaninemia; Electrospray-tandem mass spectrometry; Neonatal screening; Phenylalanine; Tyrosine **283**, 15

Hypertension; Sodium/hydrogen exchanger; Platelets; Acid excretion **283**, 105

Hypoxia/reoxygenation; Cardiac troponin I; Immunoassay; Ischemia/reperfusion; Isolated perfused heart rat **283**, 43

Immunoassay; Cardiac troponin I; Hypoxia/reoxygenation; Ischemia/reperfusion; Isolated perfused heart rat **283**, 43

Immunoassays; Digoxin; Digibind®; Fab fragments **283**, 159

Infrared spectrophotometry; Artifact; Calculi; Factitious calculi; Munchausen syndrome; Urinary calculi **283**, 151

Ion trap GC/MS; Gas chromatography/tandem mass spectrometry; Organic acidemias; Screening **283**, 77

Iron; Spent CAPD fluid; Aluminium; Copper; ETAAS **283**, 139

Ischemia/reperfusion; Cardiac troponin I; Hypoxia/reoxygenation; Immunoassay; Isolated perfused heart rat **283**, 43

Isolated perfused heart rat; Cardiac troponin I; Hypoxia/reoxygenation; Immunoassay; Ischemia/reperfusion **283**, 43

Magnesium; Calcium; Glycaemic control; Diabetes mellitus **283**, 119

Metabolites; Diltiazem; SPE; HPLC **283**, 63

Monoclonal antibodies; Semen specific γ-GTP; ABH antigen carrier protein; Sandwich ELISA **283**, 183

Munchausen syndrome; Artifact; Calculi; Factitious calculi; Infrared spectrophotometry; Urinary calculi **283**, 151

Neonatal screening; Electrospray-tandem mass spectrometry; Hyperphenylalaninemia; Phenylalanine; Tyrosine **283**, 15

Organic acidemias; Gas chromatography/tandem mass spectrometry; Ion trap GC/MS; Screening **283**, 77

Orotic acid; Orotic aciduria; Uracil; Uracil phosphoribosyltransferase **283**, 201

Orotic aciduria; Orotic acid; Uracil; Uracil phosphoribosyltransferase **283**, 201

Oxidative agents; Cysteine; Glutathione; Homocysteine; Human cell lines; Redox status; Thiol-reactive agents **283**, 21

Oxidative decomposition reaction; Spectrophotometry; Hemoglobin; Copper(II)–phthalocyanine complex **283**, 129

Pericardial fluid; aFGF; ELISA; Growth factor; Coronary artery disease **283**, 171

Phenylalanine; Electrospray-tandem mass spectrometry; Hyperphenylalaninemia; Neonatal screening; Tyrosine **283**, 15

Platelets; Hypertension; Sodium/hydrogen exchanger; Acid excretion **283**, 105

Point mutation; Butyrylcholinesterase; Three-dimensional structure and atypical gene **283**, 33

Presenilin 2; Alzheimer disease; RFLP **283**, 57

Redox status; Cysteine; Glutathione; Homocysteine; Human cell lines; Oxidative agents; Thiol-reactive agents **283**, 21

RFLP; Alzheimer disease; Presenilin 2 **283**, 57

Sandwich ELISA; Semen specific γ-GTP; ABH antigen carrier protein; Monoclonal antibodies **283**, 183

Screening; Gas chromatography/tandem mass spectrometry; Ion trap GC/MS; Organic acidemias **283**, 77

Semen specific γ-GTP; ABH antigen carrier protein; Monoclonal antibodies; Sandwich ELISA **283**, 183

Sodium/hydrogen exchanger; Hypertension; Platelets; Acid excretion **283**, 105

SPE; Diltiazem; Metabolites; HPLC **283**, 63

Spectrophotometry; Hemoglobin; Copper(II)–phthalocyanine complex; Oxidative decomposition reaction **283**, 129

Spent CAPD fluid; Aluminium; Copper; Iron; ETAAS **283**, 139

Thiol-reactive agents; Cysteine; Glutathione; Homocysteine; Human cell lines; Oxidative agents; Redox status **283**, 21

Three-dimensional structure and atypical gene; Butyrylcholinesterase; Point mutation **283**, 33

Tyrosine; Electrospray-tandem mass spectrometry; Hyperphenylalaninemia; Neonatal screening; Phenylalanine **283**, 15

Uracil; Orotic aciduria; Orotic acid; Uracil phosphoribosyltransferase **283**, 201

Uracil phosphoribosyltransferase; Orotic aciduria; Orotic acid; Uracil **283**, 201

Urinary calculi; Artifact; Calculi; Factitious calculi; Infrared spectrophotometry; Munchausen syndrome **283**, 151